



San Antonio Residents Buying 2012 IECC Homes Will Save Thousands

An Analysis of Homeowner Profit after Paying Incremental Construction Costs For New Single Family Homes Meeting the Building Energy Code

HIGHLIGHTS

- Energy cost savings for a 2012 IECC home are estimated to be \$248 per year (\$21 per month), when compared to homes meeting the current energy code.
- Break-even on investment—the additional down payment and slight mortgage payment increase—occurs in 11 months.
- After the break-even point, homeowners achieve a net profit (energy savings less mortgage costs) of \$205 annually.
- 2012 IECC homebuyers pocket \$5,961 in net profits over the length of a 30 year mortgage term.

SUMMARY

San Antonio, TX residents buying new single family homes meeting the 2012 International Energy Conservation Code (IECC) will pocket between \$5,961 in net energy savings over a 30 year mortgage term, according to an analysis of energy savings and incremental construction costs by the Building Codes Assistance Project and ICF, International.

This report assesses energy savings and incremental construction cost increases of new, 2,400 square foot single family homes in San Antonio that meet the latest model energy code, the 2012 IECC, compared to the current code in effect, the 2009 IECC. This analysis finds that an average new home meeting the 2012 IECC will add less than 1% to the cost of a new home, costing an additional \$939 over the costs of homes meeting the current energy code. **Annual energy savings for 2012 IECC homes are significant, and are estimated in this study at between \$248 per year.**

The energy savings from the 2012 code are enough to pay back the buyer's additional down payment and slightly increased mortgage cost in approximately 11 months (*sooner if the homebuyer puts less than 20% down*). **After that date, the owner continues to pocket a profit (energy savings minus mortgage costs) of \$205 annually—money that would otherwise go to pay higher utility bills.** These net savings will be even greater if energy costs rise over the next 30 years consistent with historical trends.

Stated differently, monthly **utility bill savings to the homeowner are more than five times as much as the additional mortgage payment** needed to cover the added first-cost of energy saving features included in the 2012 code.

ENERGY SAVINGS AND CONSTRUCTION COST METHODOLOGY

To calculate energy savings and incremental construction costs, this analysis defined a “typical” single family house to represent new residential development in San Antonio. The home modeled is two stories in height, with exterior dimensions of 30 by 40 feet with wood-framed walls and slab on grade foundation. The model home's size and foundation type is based on regional construction practices, and it contains

2,400 square feet in floor area—which is also the approximate size of the average new home built nationwide.

For the purposes of this analysis we assume a baseline home that meets the requirements of the 2009 IECC, which is the city’s current code. Although some leading builders are meeting or exceeding many elements of the 2012 IECC already, for purposes of this analysis we assume a baseline home that exactly meets the requirements of the 2009 IECC.

Energy savings were modeled by ICF International (ICFI), an international energy consulting firm with extensive experience in the use of hourly building energy simulation software to estimate energy performance and energy savings of alternative building codes and design concepts. Although the values included in the analysis represent a careful, independent technical judgment by ICFI staff, it should be kept in mind that – like any such analysis – the results depend on a number of assumptions about the physical features of a typical new home, operating practices, energy prices, and other factors.

Both the existing 2009 IECC and the new 2012 IECC codes allow a builder to choose among a number of alternatives to comply with the code. In this case, ICFI conservatively chose to compare the results from the prescriptive path of each version of the code. ICFI uses Beacon™, an hourly simulation model that utilizes DOE-2 or EnergyPlus, and summarizes building performance in terms of estimated annual energy costs, based on long-term average weather conditions in a given climate zone (city), DOE/EIA state level energy costs. ICFI also estimates energy consumption by end-use, fuel type, electricity peak demand, and air conditioner size in each prototype home. More details of the modeling assumptions used in this analysis are available on request.

INCREMENTAL COSTS

Using the 2,400 square foot model home as a baseline, we calculated incremental costs by identifying the building components that would have to be upgraded from the current 2009 IECC, according to the prescriptive requirements in the 2012 IECC. To estimate incremental costs, we rely on construction costs from the well-regarded *2012 RS Means Contractor’s Pricing Guide* to approximate actual costs of new home construction. This resource is known to be conservative and is useful for this analysis because all estimated construction costs are inclusive of material costs, labor, and contractor overhead and profit.¹ For this analysis, RS Means data is supplemented by additional calls to local building suppliers and experts.

Windows

San Antonio contractors will need to make upgrades to installed windows to meet the improved U- factor and SHGC factors in the 2012 IECC. U-factor for windows is upgraded from 0.65 under the current code to 0.40 under the 2012 IECC and the SHGC factor is improved from 0.30 to 0.25. This added cost is conservatively estimated by the Efficient Windows Collaborative (EWC) as no more than \$1.00 per square foot of window area. It is important to note that many builders may already install windows that meet the 2012 IECC’s slightly-improved requirements, but in an effort to be conservative (and strictly compare the two codes) this analysis assumes that builders are currently using the least-cost window to meet existing code requirements.² Total window incremental costs are estimated as \$357.

¹ RS Means also includes a location factor, which provides an estimate of local costs as a percentage of RS Means national average estimates. For this analysis, the location factor for San Antonio is 79%, indicating that construction costs in the city are approximately 21% lower than the national average.

² As a result, many builders will be able to reduce or avoid incremental costs for better windows.

Whole House Air Leakage and Ventilation

We estimate that the additional required air sealing in the 2012 IECC and the required testing for whole house air leakage (commonly known as “blower door”) and duct leakage will add about \$350 per new home.³ Because the resulting home will have fewer air and duct leaks to the outside, mechanical ventilation will have to be improved, a cost we estimate at \$180 for upgrading one bathroom vent fan to a unit with an Energy Star rating along with the installation of a simple controller which is set to automatically exhaust indoor air.⁴

Hot Water Distribution Lines

An additional 2012 IECC code change will require builders to insulate hot water distribution lines to kitchens. We believe the cost impact of this change is small, as R-3 insulation costs less than 50 cents per linear foot and most insulation products can be “clipped” around supply pipes after the plumbing rough-in.⁵ As a result, this cost is estimated at \$100 per new home.

Lighting and Programmable Thermostats

Builders will have to install high-efficiency lamps in 75 percent of hard-wired fixtures, up from 50 percent in the 2009 IECC. Usually, this requirement is met with compact florescent lights (CFLs). Our analysis estimates that the upgrade of lamps in 25 percent of fixtures will cost no more than \$25. Builders will also have to upgrade conventional thermostats to programmable thermostats, a cost which is estimated as \$50.

Attic Insulation

The 2012 IECC also requires builders to upgrade blown-in ceiling (attic) insulation from R-30 to R-38, which is estimated by RS Means to cost an additional \$284 per new home.

Cost Savings

Fortunately, the 2012 IECC will also introduce cost savings for builders. While complying with the 2012 IECC increases first-cost in some areas, the new code also presents opportunities to **reduce** costs for HVAC equipment as a result of an improved building envelope. Among other possible savings, builders will be able to reduce the size of costly mechanical equipment. For the prototype house in San Antonio’s climate zone 2, builders will be able to reduce the cooling system capacity from an average of 48,000 kBtuh to 39,000 kBtuh or from 4 to approximately 3.5 tons. This reduction in air conditioner capacity can result in first-cost savings of one-half ton, which is expected to save approximately \$408 for the average new house.⁶

³ \$350 is a commonly used as an expected air sealing and testing cost for new single-family detached homes nationwide.

⁴ Ventilation system and costs are described in an August 2005 report from Lawrence Berkeley National Laboratory “Review of Residential Ventilation Technologies.” Although the costs of these components have decreased in recent years, the 2005 estimate (\$180 per new home) is quoted in this analysis.

⁵ It is difficult to determine what combination of redesign, resizing, and/or partial insulation of hot water lines would be done in a typical new home. Insulating distribution lines to the kitchen and very long runs would add costs while downsizing lines would reduce costs; in any case we believe the net effect would be small.

⁶ EPA conservatively estimates for their Energy Star Homes Version 3 that first-cost savings for downsizing a 13 SEER air conditioner are \$815 per ton. By “right-sizing” the HVAC equipment, building occupants will also benefit from a reduction in equipment short-cycling (i.e., where equipment is too large for the cooling load and cycles on and off frequently, thus wasting energy and losing some of its ability to dehumidify indoor air). Please note that additional cost savings could be obtainable from downsizing heating equipment, but this study does not attempt to calculate those savings.

Total incremental costs for new homes in San Antonio are estimated in Table 1, below:

Table 1: San Antonio 2012 IECC Incremental Costs					
Building Component	Total Area	Incremental Cost/Square Ft	Total	Location Factor	Adjusted Total
Ceiling Insulation Upgrade from R-30 to R-38 (both blown-in)	1,200	\$0.30	\$ 360	79%	\$ 284
Upgrade Windows to U-0.40 and SHGC 0.25	357	\$1.00	\$ 357	N/A	\$ 357
Increased Air Sealing and Testing	N/A	N/A	N/A	N/A	\$ 350
Insulating Hot Water Pipes	N/A	N/A	N/A	N/A	\$ 100
75% CFLs in hardwired fixtures (from 50%)	N/A	N/A	N/A	N/A	\$ 25
Upgrade to Programmable Thermostats	N/A	N/A	N/A	N/A	\$ 50
Bathroom Vent Fan Upgrade and Addition of Automatic Timer	N/A	N/A	N/A	N/A	\$ 180
HVAC System Savings (downsizing cooling system 1 /2 ton)	N/A	N/A	N/A	N/A	\$(408)
Incremental Cost					\$ 939

ENERGY COST SAVINGS

According to the model used in this analysis, **upgrading to the 2012 IECC will result in significant energy bill savings for San Antonio homebuyers, resulting in utility bill savings of \$248 per year.** It is noteworthy that these savings assume constant energy prices; if energy prices continue to rise consistent with historical trends, savings will be greater in future years. These energy savings allow homebuyers to quickly recapture their incremental costs.

MORTGAGE PAYBACK FOR HOMEOWNERS

Homebuyers will be able to include the incremental first-costs of meeting the 2012 IECC in their mortgage, while benefiting from lower utility bills starting on day one. With estimated energy cost savings of between \$248 per year, monthly utility bill savings are more than five as much as the additional mortgage payment needed to cover the added first-cost of energy saving features required by the 2012 IECC.

This cash-flow difference is enough to pay back the buyer's added down payment within 11 after purchase (or sooner if the loan allows a down payment below 20%). After that date, the owner continues to realize a profit of at least \$205 annually due to lower utility bills – and even more if energy prices increase.

This payback analysis assumes that homebuyers purchase a new home with 20% down at the current nationwide interest rate of 4.03 percent. This scenario would result in an increased down payment of \$188 with an additional monthly mortgage cost of \$4 per month. Taking into account energy savings and lower utility bills, a cash flow analysis indicates that the homebuyer would break even within 11 months. After that break-even date, **homeowners would continue to realize a profit of \$205 annually**, which is calculated by subtracting additional mortgage costs from energy savings. Homebuyers with a lower down payment—such as 5 or 10 percent—will realize payback more quickly. Mortgage payback to homeowners is presented below in Table 2, below.

Table 2: Mortgage Payback for Homebuyers

Home Description	Incremental Costs	Energy Savings/ Year and Month per home	Down Payment Increase (and Mortgage Increase per Month)	Breakeven Point	Annual Profit for Homeowner after Breakeven Point	Gross Profit over Mortgage Term (Energy Savings Minus Mortgage Costs)
2012 IECC Home in San Antonio	\$939	\$248/year (\$21/ month)	\$188(plus \$4/month)	11 months	\$205	\$5,961

CONCLUSIONS

- As estimated in this analysis, incremental costs for new 2,400 square foot homes built to the 2012 IECC in San Antonio total \$939 per new home.
- Annual energy savings for San Antonio homeowners attributable to the 2012 IECC are \$248.
- Assuming a conservative 20% down payment, new home buyers will break even on their initial investment in no more than 11 months after purchase.
- Gross profit for homebuyers over a 30 year mortgage term is \$5,961.

About BCAP

As an independent judge of the efficacy of energy codes, BCAP strives to use data to address energy code barriers, including the real or perceived construction costs incurred by code changes. To address concern in the building community that upgrading to the latest version of the residential energy code, the 2012 IECC, will result in cost prohibitive increases in construction cost for new single-family homes, BCAP has completed a nationwide incremental cost analysis as well as analysis for states on demand. BCAP is a project of the Alliance to Save Energy, a nonprofit organization that promotes energy efficiency worldwide through research, education, and advocacy.

Contact Information:

2012 IECC Adoption and Energy Codes Policy

William D. Fay
Executive Director
Energy Efficient Codes Coalition
(202) 530-2214
bfay@ase.org

Maureen Guttman, AIA
Executive Director, Building Codes Assistance Project
Senior Director, Buildings Programs
Alliance to Save Energy
(202) 530-2211
mguttman@ase.org

Technical Analysis

John Miller
Project Manager
Building Codes Assistance Project
(202) 530-4340 (direct)
jmiller@ase.org

Mike DeWein
Technical Director
Building Codes Assistance Project
(518) 664-1308 (direct)
mdewein@ase.org